

WARING
LABORATORY SCIENCE

LABORATORY CATALOG 2026



HISTORY

When Fred Waring presented his Miracle Mixer to consumers at the 1937 National Restaurant Show in Chicago, he could not have imagined that one day a Waring® blender would play a part in altering history.

Years before antibiotics were in common use, Waring was asked to produce a sealed, stainless steel container for scientific labs – and Waring Laboratory Science was born.

In the early 1950s, Dr. Jonas Salk used a Waring® blender with an aseptic dispersal container to develop his lifesaving polio vaccine.

Today, Waring remains one of the most respected names in the clinical laboratory industry, providing researchers with the tools they need to move science forward.



TABLE OF CONTENTS

1- & 1.2-Liter Blenders 4

TBB Series Blenders 12

MX Series Blenders 15

4-Liter Blenders 19

Hazardous Location Blenders 22

Immersion Blenders 24

Laboratory Processors 27

Ice Crusher 31

Laboratory Mixers 32

Planetary Mixers 33

Laboratory Accessories 37



700G / 800G SERIES

Features:

- One-speed, toggle-switch operation
- Base: die-cast, epoxy-coated motor housing
- 1.2-liter, heat-resistant glass container with handle and two-piece vinyl and styrene lid
- .5 HP motor

SKU	Technical Info	Approvals	Plug
700G	120V, 60 Hz	cTUVus	B ☺
800G	230V, 50 Hz	RoHS	F ☺
800EG	230V, 50 Hz	CE, RoHS	F ☺
800EGK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.



700S / 800S SERIES

Features:

- One-speed, toggle-switch operation
- Base: die-cast, epoxy-coated motor housing
- 1-liter, stainless steel container with handle and two-piece vinyl and styrene lid
- .5 HP motor

SKU	Technical Info	Approvals	Plug
700S	120V, 60 Hz	cTUVus	B ☺
800S	230V, 50 Hz	RoHS	F ☺
800ES	230V, 50 Hz	CE, RoHS	F ☺
800ESK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.



7011G / 8011G SERIES

Features:

- Two-speed, push-button operation
- Base: die-cast, epoxy-coated motor housing
- 1.2-liter, heat-resistant glass container with handle and two-piece vinyl and styrene lid
- .5 HP motor

SKU	Technical Info	Approvals	Plug
7011G	120V, 60 Hz	cTUVus	B ☺
8011G	230V, 50 Hz	RoHS	F ☺
8011EG	230V, 50 Hz	CE, RoHS	F ☺
8011EGK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.



7011S / 8011S SERIES

Features:

- Two-speed, push-button operation
- Base: die-cast, epoxy-coated motor housing
- 1-liter, stainless steel container with handle and two-piece vinyl and styrene lid
- .5 HP motor

SKU	Technical Info	Approvals	Plug
7011S	120V, 60 Hz	cTUVus	B ☺
8011S	230V, 50 Hz	RoHS	F ☺
8011ES	230V, 50 Hz	CE, RoHS	F ☺
8011ESK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.



7010G / 8010G SERIES

Features:

- Two-speed, push-button operation
- Base: die-cast, epoxy-coated motor housing
- 1.2-liter, heat-resistant glass container with handle and two-piece vinyl and styrene lid
- Mechanical timer
- .5 HP motor

SKU	Technical Info	Approvals	Plug
7010G	120V, 60 Hz	cTUVus	B ☺
8010G	230V, 50 Hz	RoHS	F ☺
8010EG	230V, 50 Hz	CE, RoHS	F ☺
8010EGK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.



7010S / 8010S SERIES

Features:

- Two-speed, push-button operation
- Base: die-cast, epoxy-coated motor housing
- 1-liter, stainless steel container with handle and two-piece vinyl and styrene lid
- Mechanical timer
- .5 HP motor

SKU	Technical Info	Approvals	Plug
7010S	120V, 60 Hz	cTUVus	B ☺
8010S	230V, 50 Hz	RoHS	F ☺
8010ES	230V, 50 Hz	CE, RoHS	F ☺
8010ESK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.

LABORATORY BLENDERS

1- & 1.2- LITER BLENDERS



LB10XG / LB20XS SERIES

Features:

- Variable-speed dial and On/Off toggle switch
- RPM display for added versatility and consistency control
- Base: die-cast, epoxy-coated motor housing
- 1.2-liter, heat-resistant glass container with handle and two-piece vinyl and styrene lid
- 1 HP motor

SKU	Technical Info	Approvals	Plug
LB10XG	120V, 50-60 Hz	cTUVus	B ☺
LB20XEG	230V, 50 Hz	CE, RoHS	F ☺



LB10XS / LB20XS SERIES

Features:

- Variable-speed with dial and On/Off toggle switch
- RPM display for added versatility and consistency control
- Base: die-cast, epoxy-coated motor housing
- 1.2-liter, stainless steel container with handle and two-piece vinyl and styrene lid
- 1 HP motor

SKU	Technical Info	Approvals	Plug
LB10XS	120V, 50-60 Hz	cTUVus	B ☺
LB20XES	220V-240V, 50-60 Hz	CE, RoHS	F ☻



TBB145 SERIES

Features:

- HI, LO, OFF and PULSE toggle switches
- High-performance, 2 HP motor
- 1.4-liter copolyester container
- Durable stainless steel drive coupling
- Also available with stainless steel container

SKU	Technical Info	Approvals	Plug
TBB145	120V, 60 Hz	cETL, NSF	B ☺
TBB145E	230V, 50 Hz	CE, RoHS	F ☺
TBB145K	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.



TBB160 SERIES

Features:

- Electronic membrane keypad with 60-second countdown timer
- High-performance, 2 HP motor
- 1.4-liter copolyester container
- Durable stainless steel drive coupling
- Also available with stainless steel container

SKU	Technical Info	Approvals	Plug
TBB160	120V, 60 Hz	cETL, NSF	B ☺
TBB160E	230V, 50 Hz	CE, RoHS	F ☺
TBB160K	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.



TBB175 SERIES

Features:

- Variable-speed control dial operates from 1,000 to 17,000 RPM
- PULSE feature overrides speed 10 at 24,000 RPM
- High-performance, 2 HP motor
- 1.4-liter copolyester container
- Durable stainless steel drive coupling
- Also available with stainless steel container

SKU	Technical Info	Approvals	Plug
TBB175	120V, 60 Hz	cETLus, NSF	B ☹
TBB175E	230V, 50 Hz	CE, RoHS	F ☹
TBB175K	230V, 50 Hz	CE, RoHS	G ☹

For additional models, see page 23.



MX1000XTX SERIES

Features:

- HI, LO, OFF and PULSE paddle switches
- Heavy-duty base with powerful, 3.5 peak input HP motor
- One-piece, dishwasher-safe, removable jar pad
- 2-liter, BPA-free copolyester container
- Durable stainless steel drive coupling
- Also available with stainless steel container

SKU	Technical Info	Approvals	Plug
MX1000XTX	120V, 60 Hz	cETLus, NSF	B
MX1000XTXEE	230V, 50 Hz	CE, RoHS	F
MX1000XTXEK	230V, 50 Hz	CE, RoHS	G

For additional models, see page 23.



MX1100XTX SERIES

Features:

- Easy-to-clean electronic membrane keypad with STOP, HI, LO, and PULSE controls
- 30-second electronic countdown timer
- Heavy-duty base with powerful, 3.5 peak input HP motor
- One-piece, dishwasher-safe, removable jar pad
- 2-liter, BPA-free copolyester container
- Durable stainless steel drive coupling
- Also available with stainless steel container

SKU	Technical Info	Approvals	Plug
MX1100XTX	120V, 60 Hz	cETLus, NSF	B ☺
MX1100XTXEE	230V, 50 Hz	CE, RoHS	F ☺
MX1100XTXEK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.

MX1200TX SERIES

Features:

- Variable-speed control dial operates from 1,500 to 24,000 RPM
- PULSE feature overrides speed 10 at 30,000+ RPM
- Heavy-duty base with powerful, 3.5 peak input HP motor
- One-piece, dishwasher-safe, removable jar pad
- 2-liter, BPA-free copolyester container
- Durable stainless steel drive coupling
- Also available with stainless steel container

SKU	Technical Info	Approvals	Plug
MX1200TX	120V, 60 Hz	cETLus, NSF	B ☺
MX1200TXEE	230V, 50 Hz	CE, RoHS	F ☺
MX1200TXEK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.





MX1300XTX SERIES

Features:

- Electronic membrane keypad with 4 programmable settings and blue backlit LCD display for easy viewing and program selection
- Programmable speed control from 1,500 to 24,000 RPM
- Dual PULSE feature includes PULSE and MAX PULSE, overriding speed 10 at 30,000+ RPM
- Heavy-duty base with powerful, 3.5 peak input HP motor
- One-piece, dishwasher-safe, removable jar pad
- 2-liter, BPA-free copolyester container
- Durable stainless steel drive coupling
- Also available with stainless steel container

SKU	Technical Info	Approvals	Plug
MX1300XTX	120V, 60 Hz	cETLus, NSF	B ☺
MX1300TXEE	230V, 50 Hz	CE, RoHS	F ☺
MX1300TXEK	230V, 50 Hz	CE, RoHS	G ☺

For additional models, see page 23.



CB15VX SERIES

Features:

- Variable speed with RPM display for added versatility and consistency control
- 4-liter, stainless steel container with two handles and two-piece, easy-off rubberized lid
- Easy-to-clean electronic keypad
- Heavy-duty base with powerful, 3.75 peak input HP motor
- One-piece, dishwasher-safe, removable jar pad

SKU	Technical Info	Approvals	Plug
CB15VX	120V, 60 Hz	cETLus, NSF	B
CB15VXE	230V, 50 Hz	CE, RoHS	F
CB15VXK	230V, 50 Hz	CE, RoHS	G

For additional models, see page 23.



LBC15 SERIES

Features:

- Easy-to-clean, electronic membrane keypad with 3 speeds plus PULSE
- 4-liter, stainless steel container with two handles and stainless steel lid
- Heavy-duty base with powerful, 3.75 peak input HP motor
- One-piece, dishwasher-safe, removable jar pad

SKU	Technical Info	Approvals	Plug
LBC15	120V, 60 Hz	cETLus, NSF	B Ⓡ
LBC15E	230V, 50 Hz	CE, RoHS	F Ⓡ

For additional models, see page 23.



CB15T SERIES

Features:

- Easy-to-clean, electronic membrane keypad with 3-minute countdown timer and 3 speeds plus PULSE
- 4-liter, stainless steel container with two handles and two-piece, easy-off, rubberized lid
- Heavy-duty base with powerful, 3.75 peak input HP motor
- One-piece, dishwasher-safe, removable jar pad

SKU	Technical Info	Approvals	Plug
CB15T	120V, 60 Hz	cETLus, NSF	B
CB15TE	230V, 50 Hz	CE, RoHS	F
CB15TK	230V, 50 Hz	CE, RoHS	G

For additional models, see page 23.



BHL120 / BHL240

The standard in safety. Depend on these Waring® blenders to provide optimum safety and reliable performance when working with highly volatile substances.

Features:

- For use with 1-liter, stainless steel container only (HL515)
- Natural finished aluminum and steel housing
- Cord not included. Must be hard-wired via explosion-proof conduit.
- External switch available as an accessory (BHLSW)
- UL-listed motor for use in Class 1, Group D hazardous locations

Hazardous Location Blender Motor

Heat is generated within motor housing during normal operation. This blender is designed to prevent the electrical arcing and generated heat from igniting ambient atmospheres.

SKU	Technical Info	Approvals	Plug
BHL120	120V, 60 Hz	N/A	N/A
BHL240	230V, 50 Hz	RoHS	N/A



ADDITIONAL MODELS

One-Liter Series – Single Speed

- 700BU Base Only, 120V
- 800BU Base Only, 230V (non CE)*
- 800EBU Base Only, 230V (CE approved)*
- 800EKBU Base Only, 230V (CE approved)**

One-Liter Series - Two Speeds

- 7011BU Base Only, 120V
- 7011HB Base Only, Heavy Duty, 120V
- 7011HG Heavy-Duty, Glass Container, 120V
- 7011HS Heavy-Duty, Stainless Container, 120V
- 8011BU Base Only, 230V (non CE)*
- 8011EB Base Only, 230V (CE approved)*
- 8011EKB Base Only, 230V (CE approved)**

One-Liter Series, Two Speeds w/ Timer

- 7010BU Base Only, 120V
- 7010HB Base Only, Heavy Duty, 120V
- 7010HG Heavy-Duty, Glass Container, 120V
- 7010HS Heavy-Duty, Stainless Container, 120V
- 8010BU Base Only, 230V (non CE)*
- 8010EB Base Only, 230V (CE approved)*
- 8010EKB Base Only, 230V (CE approved)**

CB15 Series

- CB15BU Base Only, 120V
- CB15EB Base Only, 230V*

CB15V Series

- CB15VXP 4-Liter Plastic Container, 120V
- CB15VXEB Base Only, RPM Display, 230V*
- CB15VXKB Base Only, RPM Display, 230V**

TBB145 Series

- TBB145S6 2-Liter Stainless Container, 120V
- TBB145S4 1.4-Liter Stainless Container, 120V
- TBB145EB Base Only, 230V*

TBB160 Series

- TBB160S6 2-Liter Stainless Container, 120V
- TBB160S4 1.4-Liter Stainless Container, 120V
- TBB160EB Base Only, 230V*

TBB175 Series

- TBB175S6 2-Liter Stainless Container, 120V
- TBB175S4 1.4-Liter Stainless Container, 120V
- TBB175EB Base Only, 230V*

MX1000 Series

- MX1000XTS 2-Liter Stainless Container, 120V
- MX1000XTEES 2-Liter Stainless Container, 230V*
- MX1000XTEKS 2-Liter Stainless Container, 230V**

MX1100 Series

- MX1100XTS 2-Liter Stainless Container, 120V
- MX1100XTEES 2-Liter Stainless Container, 230V*
- MX1100XTEKS 2-Liter Stainless Container, 230V**

MX1200 Series

- MX1200XTS 2-Liter Stainless Container, 120V
- MX1200XTEES 2-Liter Stainless Container, 230V*
- MX1200XTEKS 2-Liter Stainless Container, 230V**

MX1300 Series

- MX1300XTS 2-Liter Stainless Container, 230V
- MX1300XTEES 2-Liter Stainless Container, 230V*
- MX1300XTEKS 2-Liter Stainless Container, 230V**




*F Plug Type  **G Plug Type 



WSB35

Features:

- 2-speed operation
- Stainless steel, 18 cm (7") fixed shaft and blade
- Lightweight and compact
- 3-gallon, 12-quart capacity

SKU	Technical Info	Approvals	Plug
WSB35	120V, 60 Hz	cULus, NSF	5-15P 
WSB35E	230V, 50 Hz	CE, RoHS	F 
WSB35K	230V, 50 Hz	CE, RoHS	G 



WSB40X SERIES

Features:

- ½ HP, variable-speed, heavy-duty motor
- Completely sealed 25 cm (10") stainless steel shaft is easily removable and dishwasher safe
- Rubberized comfort grip and trigger design enables ergonomic grip at any angle
- All-purpose, stainless steel blade
- 6-gallon, 24-quart capacity
- User-replaceable couplings on power pack and shaft
- Convenient cord wrap storage

SKU	Technical Info	Approvals	Plug
WSB40X	120V, 60 Hz	cULus, NSF	B ☺
WSB40XE	220-240V, 50/60 Hz	CE, RoHS	F ☺
WSB40XK	220-240V, 50/60 Hz	CE, RoHS	G ☺

BIG STIK[®] EVOLUTION[®]X[®] WSB500X SERIES



HEAVY-DUTY IMMERSION BLENDERS

Features:

- Powerful 1.5 HP, 1145 W variable-speed motor (up to 18,000 RPM)
- Ergonomic dual-trigger handle and rubberized comfort grip for added control and reduced fatigue
- Patented pivoting second handle ensures balance, comfort, and control during use
- Electronic control panel with easy-touch buttons for seamless blending, pureeing, and emulsifying
- Precise speed selection (1–9) for optimal control
- Durable, user-replaceable couplings and serviceable cord for extended product life
- Universal power pack fits all shafts and whisk attachments
- All-purpose stainless steel blade for versatile use
- Continuous ON feature for hands-free operation
- Convenient cord wrap for easy storage

SKU	Technical Info	Approvals	Plug
WSB500X	120V, 60 Hz	cULus, NSF	B ☺
WSB500XE	220-240V, 60 Hz	CE, RoHS	F ☹
WSB500XK			G ☹
WSB550X	120V, 60 Hz	cULus, NSF	B ☺
WSB550XE	220-240V, 60 Hz	CE, RoHS	F ☹
WSB550XK			G ☹
WSB600X	120V, 60 Hz	cULus, NSF	B ☺
WSB600XE	220-240V, 60 Hz	CE, RoHS	F ☹
WSB600XK			G ☹
WSB650X	120V, 60 Hz	cULus, NSF	B ☺
WSB650XE	220-240V, 60 Hz	CE, RoHS	F ☹
WSB650XK			G ☹
WSB700X	120V, 60 Hz	cULus, NSF	B ☺
WSB700XE	220-240V, 60 Hz	CE, RoHS	F ☹
WSB700XK			G ☹



WCG75 SERIES

Features:

- .75 HP motor
- Chopping assembly: .7-liter work bowl, 2-blade hub, cover with 2 protected openings for adding ingredients while processing
- Grinding assembly: .7-liter work bowl, 3-blade hub, sealed cover with handle
- Bowl assemblies stack for storage



SKU	Technical Info	Approvals	Plug
WCG75	120V, 60 Hz	ETLus, ETL Sanitation	B ☺
WCG75E	230V, 50 Hz	CE, RoHS	F ☺
WCG75K	230V, 50 Hz	CE, RoHS	G ☺



WFP14S SERIES

Features:

- 1 HP motor
- 3.3-liter, unbreakable, clear-view batch bowl with LiquiLock® Seal System for processing liquids
- Easy ON and OFF/PULSE control paddles
- Extra-large feed tube and pusher

- **Included processing accessories:**
 - Sealed, serrated S-blade (WFP14S1)
 - 2 mm (5/64") slicing disc (WFP145)
 - 4 mm (5/32") shredding disc (WFP144)

SKU	Technical Info	Approvals	Plug
WFP14S	120V, 60 Hz	ULus, ETL Sanitation	B ☺
WFP14SE	230V, 50 Hz	CE, RoHS	F ☹
WFP14SK	230V, 50 Hz	CE, RoHS	G ☹

LABORATORY PROCESSORS

WFP16SCD SERIES

Features:

- 2 HP commercial motor
- Die-cast housing
- ON, OFF and PULSE controls
- 3.75-liter, unbreakable, clear-view batch bowl with LiquiLock® Seal System
- Continuous-feed chute for large-volume processing



• Included processing accessories:

Sealed S-blade (WFP16S1), sealed and locked whipping disc (WFP16S11), adjustable slicing disc 1–6 mm (WFP16S10), reversible shredding disc (WFP16S12)

SKU	Technical Info	Approvals	Plug
WFP16SCD	120V, 60 Hz	ETLus, ETL Sanitation	B ☺
WFP16SCDE	230V, 50 Hz	CE, RoHS	F ☹
WFP16SCDK	230V, 50 Hz	CE, RoHS	G ☹

3.75-LITER CONTINUOUS FEED PROCESSORS

LABORATORY PROCESSORS

5.7-LITER CONTINUOUS FEED PROCESSOR



FP2200

Features:

- 3.75 HP motor
- Clear, durable Lexan® work bowl holds 3.7 liters of wet and 5.7 liters of dry ingredients
- Two-handed batch bowl provides safe grip and balance when lifting, pouring, or carrying
- ON, OFF and PULSE controls
- 2-piece S-blade with patented mid-blade minimizes processing time (CAF31)
- Overload safety reset for safe, controlled restarts



• Included processing accessories:

Dual S-blade with patented mid-blade, slicing disc, 3.2 mm (CAF12), shredding disc, 4.7 mm (CAF20)

SKU	Technical Info	Approvals	Plug
FP2200	120V, 60 Hz	cULus, NSF	B ☺

LABORATORY ICE CRUSHER



IC20

Features:

- Container holds more than 2 liters of crushed ice
- Special height adjustment dispenses into 1-liter or 1.4-liter blender containers, as well as a variety of other container sizes
- Large chute and funnel for easy feeding
- Brushed stainless steel exterior

SKU	Technical Info	Approvals	Plug
IC20	230V, 50 Hz	CE, RoHS	F

LABORATORY MIXERS

WDM120TX SERIES

Features:

- 1 peak HP motor
- Electronic 3-speed and pulse controls maintain speed under load for optimal performance – 15,000 / 18,000 / 21,000 RPM
- Fully automatic START/STOP operation
 - Motor will run at selected speed once cup is in position
 - Frees up operator for other tasks and ensures consistent results
- Die-cast housing
- Cup slides into position without tilt
- Includes 1 stainless steel cup (CAC20)
- 2- and 3-head models available



SINGLE-HEAD MIXERS

SKU	Technical Info	Approvals	Plug
WDM120TX	120V, 60 Hz	cETLus, NSF	B
WDM120TXE	230V, 50 Hz	CE, RoHS	F
WDM120TXK	230V, 50 Hz	CE, RoHS	G

LABORATORY PLANETARY MIXERS

WSM7L

Features:

- Large, 7-quart stainless steel bowl with stainless steel handle
- Heavy-duty, .5 HP motor
- Front-mounted controls and LED power light
- 11 mixing speeds with variable-speed control dial
- Removable, clear-view splash guard with feed chute
- Tilt-back head for easy removal of attachments and cleaning
- Heavy-duty head-lift/release lever
- Gear-driven, permanently lubed transmission
- Thermal overload protection
- Includes stainless steel bowl, whisk, mixing hook and paddle
- Dishwasher-safe accessories
- Non-slip rubber feet



SKU	Technical Info	Approvals	Plug
WSM7L	120V, 60 Hz	cETLus, NSF	B Ⓢ

7-QUART PLANETARY MIXER

LABORATORY PLANETARY MIXERS

10-QUART PLANETARY MIXER



WSM10LT

Features:

- Large, 10-quart stainless steel bowl with stainless steel handle
- Integrated, easy-to-use 99-minute countdown timer
- Heavy duty, .75 HP induction motor
- Side-mounted controls
- 3 mixing speeds
- Heavy-duty bowl-lift lever
- Gear-driven, permanently lubed transmission
- Thermal overload protection
- Includes stainless steel bowl, whisk, mixing hook and aluminum paddle
- Specifically designed for countertop use
- Non-slip rubber feet

SKU	Technical Info	Approvals	Plug
WSM10LT	120V, 60 Hz	cETLus, NSF	B ☺

LABORATORY PLANETARY MIXERS



WSM20LT

Features:

- Large, 20-quart stainless steel bowl with stainless steel handle
- Integrated, easy-to-use 99-minute countdown timer
- Heavy duty, 1 HP induction motor
- Side-mounted controls
- 3 mixing speeds
- Heavy-duty bowl-lift lever
- Gear-driven, permanently lubed transmission
- Thermal overload protection
- Includes stainless steel bowl, whisk, mixing hook, and aluminum paddle
- Specifically designed for countertop use
- Non-slip rubber feet

SKU	Technical Info	Approvals	Plug
WSM20LT	120V, 60 Hz	cETLus, NSF	B ⚡

20-QUART PLANETARY MIXER













LABORATORY ACCESSORIES



LABORATORY ACCESSORIES



For use with all Waring Laboratory Blenders






	Part Number / Description
	<p>CAC32 1.2-liter glass container complete with two-piece lid</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>CAC33 1-liter stainless steel container with two-piece lid</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>CAC64 1/2-liter polypropylene container with screw-topped lid</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>MC1 Stainless steel mini container with lid (12–37 ml capacity)</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>MC2 Stainless steel mini container with lid (37–110 ml capacity)</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>MC3 Stainless steel mini container with lid (50–250 ml capacity)</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>

	Part Number / Description
	<p>SS110 Dry-blending stainless steel container with lid (10–75 grams dry capacity)</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>SS115 Dry-blending, stainless steel container with lid (500 ml capacity)</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>SS515 1-liter stainless steel container with stainless steel lid and Teflon® gaskets</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>SS510F Stainless steel foam arrester</p> <p>For use with: SS510C and SS515 containers</p>
	<p>SS510S 1-liter stainless steel container with sealed cover</p> <p>For use with: All 1 liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>SS510T Stainless steel temperature control coil</p> <p>For use with: SS510C and SS515 containers</p>



LABORATORY ACCESSORIES



For use with all Waring Laboratory Blenders

	Part Number / Description
	<p>SS610 1-liter stainless steel container with stainless steel lid</p> <p>For use with: All 1-liter and 1.2-liter blender bases All 2-liter blender bases with the use of an adapter (AD2) All MX and TBB blender bases with the use of an adapter (AD3) All 4-liter blender bases with the use of an adapter (AD1)</p>
	<p>SS610F Stainless steel foam arrester</p> <p>For use with: SS610 and CAC33 containers</p>

	Part Number / Description
	<p>LA1 Variable-speed control</p> <p>For use with: 120V blenders up to 10 amp</p>
	<p>CAT1 Digital 1-second to 60-minute timer</p> <p>For use with: 120V blenders</p>
	<p>CAC24 External digital tachometer</p> <p>For use with: 7009G 7009S</p>
	<p>HL515 1-liter stainless steel container with stainless steel lid and Teflon® seals</p> <p>For use with: BHL120 BHL240</p>
	<p>BHLSW Hazardous location rated switch</p> <p>For use with: BHL120, BHL240</p>




For use with TBB Series Blenders



	Part Number / Description
	<p>CAC139 1.4-liter, BPA-free, copolyester container with blade and assembly</p> <p>For use with: TBB series blender bases only</p>
	<p>CAC152 1.4-liter stainless steel container with two-piece lid</p> <p>For use with: TBB series blender bases only</p>

	Part Number / Description
	<p>CAC90I 2-liter stainless steel container with two-piece lid</p> <p>For use with: TBB and MX series blender bases only</p>
	<p>AD3 Adapter for MX and TBB series blenders. Allows the use of 1.2-liter and smaller containers</p> <p>For use with: TBB and MX series blender bases only</p>




LABORATORY ACCESSORIES

For use with MX Series Blenders

	Part Number / Description
	<p>CAC93XI 1.4-liter, BPA-free copolyester container with blade and assembly</p> <p>For use with: MX series blender bases only</p>
	<p>CAC95I 2-liter, BPA-free copolyester container with two-piece lid</p> <p>For use with: MX series blender bases only</p>
	<p>CAC90I 2-liter, stainless steel container with two-piece lid</p> <p>For use with: MX and TBB series blender bases only</p>

	Part Number / Description
	<p>SE1500 Sound enclosure for MX series blenders.</p> <p>For use with: MX series blender bases only</p>
	<p>AD3 Adapter for MX and TBB series blenders. Allows the use of 1.2-liter and smaller containers</p> <p>For use with: MX and TBB series blender bases only</p>




For use with 4-Liter Blenders



	Part Number / Description
	<p>CAC70 4-liter, stainless steel container with stainless steel lid</p> <p>For use with: 4-liter blender bases only</p>
	<p>CAC72 4-liter stainless steel container with two-piece lid</p> <p>For use with: 4-liter blender bases only</p>
	<p>2610C Stainless steel, cool base container</p> <p>For use with: 4-liter blender bases only</p>

	Part Number / Description
	<p>CAC170 4-liter (stackable) copolyester container</p> <p>For use with: 4-liter blender bases only</p>
	<p>CBL10 Hot blending lid for 4-liter blenders</p> <p>For use with: CAC70, CAC72, 2610C</p>
	<p>AD1 Adapter for 4-liter blenders. Allows the use of 1.2-liter and smaller containers</p> <p>For use with: 4-liter blender bases</p>

LABORATORY ACCESSORIES





For use with HGB Series Blenders

	Part Number / Description
	<p>CAC15 Hot blending lid for 2-liter blenders</p> <p>For use with: 2-liter stainless steel containers</p>
	<p>CAC21 1.5-liter, BPA-free copolyester container with two-piece lid</p> <p>For use with: 2-liter blender bases only</p>
	<p>CAC59 2-liter, BPA-free copolyester container with two-piece lid</p> <p>For use with: 2-liter blender bases only</p>

	Part Number / Description
	<p>SS715 1-liter stainless steel container with two-piece lid</p> <p>For use with: 2-liter blender bases only</p>
	<p>AD2 Adapter for 2-liter blender bases. Allows the use of 1.2-liter and smaller containers</p> <p>For use with: 2-liter series blender bases.</p>


For use with Immersion Blenders


	Part Number / Description
	<p>WSB50ST 30.5 cm/12" shaft</p> <p>For use with: All heavy-duty immersion blenders</p>
	<p>WSB55ST 35.5 cm/14" shaft</p> <p>For use with: All heavy-duty immersion blenders</p>
	<p>WSB60ST 40.5 cm/16" shaft</p> <p>For use with: All heavy-duty immersion blenders</p>
	<p>WSB65ST 45.5 cm/18" shaft</p> <p>For use with: All heavy-duty immersion blenders</p>
	<p>WSB70ST 53.5 cm/21" shaft</p> <p>For use with: All heavy-duty immersion blenders</p>

	Part Number / Description
	<p>WSBBC Bowl clamp</p> <p>For use with: All heavy-duty immersion blenders</p>
	<p>WSB01 Wall-mount bracket</p> <p>For use with: WSB40 series and all heavy-duty immersion blenders</p>
	<p>WSB2W 25 cm/10" stainless steel whisk attachment</p> <p>For use with: All heavy-duty immersion blenders</p>
	<p>WSBPP – Power pack, 120V ☺ WSBPPCE – Power pack, 230V ☺ WSBPPCK – Power pack, 230V ☺</p> <p>For use with: WSB50ST WSB60ST WSB65ST WSB70ST WSB2W</p>







LABORATORY ACCESSORIES

For use with Grinders and Pulverizers

	Part Number / Description
	CAC103 Grinding bowl with lid For use with: WSG30 grinder/pulverizer

	Part Number / Description
	CAC128 Grinding bowl with lid For use with: WSG60 grinder/pulverizer

For use with Planetary Mixers

	Part Number / Description
	WSM7LMP Mixing Paddle for WSM7
	WSM10LMP Mixing Paddle for WSM10
	WSM20LMP Mixing Paddle for WSM20
	WSM7LW Whisk for WSM7
	WSM10LW Whisk for WSM10
	WSM20LW Whisk for WSM20

	Part Number / Description
	WSM7LDH Hook for WSM7
	WSM10LDH Hook for WSM10
	WSM20LDH Hook for WSM20
	WSM7LBL Stainless Steel Bowl for WSM7
	WSM10LBL Stainless Steel Bowl for WSM10
	WSM20LBL Stainless Steel Bowl for WSM20



D&S Exports Inc
e-mail: sales@dsusa.biz
Tel. 203-847-6446 • Fax. 203-849-9526

©2026 Waring Lab
314 Ella T. Grasso Avenue • P.O. Box 3201 • Torrington, CT 06790

www.waringlab.com

26WC96406